L Number	Hits	Search Text	DB	Time stamp
-	32	360/235.8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 08:37
-	43	360/235.6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 15:50
-	25	360/235.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 16:04
-	260	slider and (air adj bearing) near3 (flexible or compliant or elastic or spring or stiffness or stiff or bendable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 16:06
-	23	360/236.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 08:46
-	36	360/236.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 10:00
-	50	360/236.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 11:03
-	66	360/235.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 11:55
-	27	360/235.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 11:58
-	44	360/235.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 11:58
-	26	360/$.ccls. and (micro-slide or micro adj slider or microslider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 12:48
-	102	360/234.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 14:25
-	78	slider near3 microactuator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 09:49
-	7	(magnetic adj head or magnetic adj transducer or MR adj head or reading adj head or recording adj head or reproducing adj head) near2 slider near4 (microposition$3 or microactuator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 13:58

-	17	360/234.8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 14:28
-	35	360/234.9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 14:40
-	44	360/235.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 14:53
-	40	360/235.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 15:34
-	356	head near2 slider near4 spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 14:58
-	27	360/235.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 15:35
-	66	360/235.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 15:54
-	11	360/235.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 15:56
-	43	360/235.6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:09
-	25	360/235.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:19
-	32	360/235.8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:27
-	8	360/235.9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:28
-	50	360/236.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:38
-	23	360/236.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:46

-	36	360/236.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:52
-	65	360/236.6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 16:52
-	25	360/236.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 08:40
-	61	360/237.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 08:45
-	1179	(slider or air adj bearing) near2 (elastic or deformable or deform or compliant or flexible or bendable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 08:47
-	211	((slider or air adj bearing) near2 (elastic or deformable or deform or compliant or flexible or bendable)) and (magnetic adj head or MR adj head or thin adj film adj head)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 08:48
-	2	slider near3 (actuat$3 adj comb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 09:52
-	0	slider near3 (electrostatic adj comb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/09 09:52
-	2	360/235.7.ccls. and head near2 pad	USPAT; US-PGPUB	2002/05/09 12:16
-	25	360/235.7.ccls.	USPAT; US-PGPUB	2002/05/09 12:16